

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	220	magnetic and (bias\$3 near voltage\$1) and (resistance same measur\$3) and (compar\$4 same threshold\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 15:44
L2	17	(magnetic with junction) and (bias\$3 near voltage\$1) and (resistance same measur\$3) and (compar\$4 same threshold\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 15:44
L3	167	magnetic and (bias\$3 near voltage\$1) and (resistance same measur\$3 same voltage\$1) and (compar\$4 same threshold\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 15:45
L4	16	magnetic and (different with (bias\$3 near voltage\$1)) and (resistance same measur\$3 same voltage\$1) and (compar\$4 same threshold\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 15:46
L5	29	magnetic and ((second\$3 or two) with (bias\$3 near voltage\$1)) and (resistance same measur\$3 same voltage\$1) and (compar\$4 same threshold\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 15:46
L6	45	(sneak\$3 with resistance\$1) and (voltage\$1 with read\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 15:48
L7	41	(sneak\$3 with resistance\$1) and (voltage\$1 with read\$3) and magnetic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 15:48
L8	874	(365/158.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 15:48
L10	8	1 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 15:49
L11	4	3 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 15:49